ABYSM Danube Sava H600 PC Branco

Marca : ABYSM

Código do produto: AB130212

Nome do produto : Danube Sava H600

ABYSM Danube Sava H600. Forma: PC, Tipo: PC, Cor do produto: Branco. Diâmetros de ventiladores laterais compatíveis: 120,140 mm, Ventiladores traseiros instalados: 4x 120 mm, Diâmetros de ventiladores traseiros compatíveis: 120,140 mm. Tamanhos de drives de discos rígidos compatíveis: 2.5,3.5". Largura: 305 mm, Profundidade: 515 mm, Altura: 500 mm. Comprimento da embalagem: 384 mm, Profundidade da embalagem: 570 mm, Altura da embalagem: 607 mm





Design	
Material	SPCC, Tempered glass
Form factor *	Desktop
Type *	PC
Product colour *	White
Supported motherboard form factors *	ATX, EATX, ITX, micro ATX
Number of 3.5" bays *	4
Number of 2.5" bays	10
Number of internal 3.5" bays	4
Number of storage drives supported	14
Number of expansion slots	7
Side window	✔
Suitable for	Gaming
Illumination	✔
Illumination colour	Multi
Illumination location	Case fans
Tempered glass panel(s)	✔
On/off button	✔
Maximum CPU cooler height	18 cm
Maximum graphics card length	47 cm

Power supply	
Power supply included *	✘

Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Combo headphone/mic port	✔

Cooling	
Rear fans diameters supported	120,140 mm
Number of top fans supported (max)	3
Top fans diameters supported	120,140 mm
Number of bottom fans supported (max)	3
Bottom fans diameters supported	120,140 mm
Fan speed	0 - 1200 RPM
Maximum airflow	39.6 cfm
Liquid cooling capability	✔
Side radiator sizes supported	240,280,360 mm
Bottom radiator sizes supported	240,280,360 mm
Rear radiator sizes supported	120,140 mm
Top radiator sizes supported	240,280,360 mm
Pulse-width modulation (PWM) support	✔

Storage	
Supported HDD sizes *	2.5,3.5"

Weight & dimensions	
Width	305 mm
Depth	515 mm
Height	500 mm
Weight	15.6 kg

Packaging data	
Package width	384 mm
Package depth	570 mm
Package height	607 mm
Package weight	17.1 kg

Publication date: 02-FEB-2025. Prints or copies of Information are only valid on the printed Publication date

Cooling	
Number of side fans supported (max)	3
Side fans diameters supported	120,140 mm
Rear fans installed	4x 120 mm
Number of rear fans supported (max)	1

Other features	
Noise level	25.3 dB
Mean time between failures (MTBF)	30000 h



8436617920240

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-FEB-2025. Prints or copies of Information are only valid on the printed Publication date